



# MASSACHUSETTS

Blue Cross Blue Shield of Massachusetts is an Independent Licensee of the Blue Cross and Blue Shield Association

## Medical Policy

# Electrostimulation and Electromagnetic Therapy for Treating Wounds

### Table of Contents

- [Policy: Commercial](#)
- [Policy History](#)
- [Information Pertaining to All Policies](#)
- [Authorization Information](#)
- [References](#)
- [Description](#)
- [Coding Information](#)

### Policy Number: 655

BCBSA Reference Number: 2.01.57 (For Plan internal use only)

### Related Policies

- Transcutaneous Electrical Nerve Stimulation – TENS, #[003](#)
- Non-Contact Ultrasound Treatment for Wounds, #[657](#)
- Negative Pressure Wound Therapy in the Outpatient Setting, #[543](#)

### Policy

#### Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity

Electrical stimulation for the treatment of wounds, including but not limited to low-intensity direct current (LIDC), high-voltage pulsed current (HVPC), alternating current (AC), and transcutaneous electrical nerve stimulation (TENS), is considered [INVESTIGATIONAL](#).

Electrical stimulation performed by individuals in the home setting for the treatment of wounds is considered [INVESTIGATIONAL](#).

Electromagnetic therapy for the treatment of wounds is considered [INVESTIGATIONAL](#).

### Prior Authorization Information

#### Inpatient

- For services described in this policy, precertification/preauthorization **IS REQUIRED** for all products if the procedure is performed **inpatient**.

#### Outpatient

- For services described in this policy, see below for products where prior authorization **might be required** if the procedure is performed **outpatient**.

	Outpatient
Commercial Managed Care (HMO and POS)	This is <b>not</b> a covered service.
Commercial PPO and Indemnity	This is <b>not</b> a covered service.

## CPT Codes / HCPCS Codes / ICD Codes

Inclusion or exclusion of a code does not constitute or imply member coverage or provider reimbursement. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage as it applies to an individual member.

Providers should report all services using the most up-to-date industry-standard procedure, revenue, and diagnosis codes, including modifiers where applicable.

The following codes are included below for informational purposes only; this is not an all-inclusive list.

**The following HCPCS codes are considered investigational for Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity:**

### HCPCS Codes

HCPCS codes:	Code Description
G0281	Electrical stimulation (unattended), to one or more areas, for chronic stage III and stage IV pressure ulcers, arterial ulcers, diabetic ulcers, and venous stasis ulcers not demonstrating measurable signs of healing after 30 days of conventional care, as part of a therapy plan of care.
G0282	Electrical stimulation, (unattended), to one or more areas, for wound care other than described in G0281
G0295	Electromagnetic therapy, to one or more areas, for wound care other than described in G0329 or for other uses.
G0329	Electromagnetic therapy, to one or more areas, for chronic stage III or stage IV pressure ulcers, arterial ulcers, diabetic ulcers, and venous stasis ulcers not demonstrating measurable signs of healing after 30 days of conventional care as part of a therapy plan of care.
E0761	Non-thermal pulsed high-frequency radiowaves, high peak power electromagnetic energy treatment device.
E0769	Electrical stimulation or electromagnetic wound treatment device, not otherwise classified.

## Description

### Standard Treatment

Conventional or standard therapy for chronic wounds involves local wound care, as well as systemic measures including debridement of necrotic tissues, wound cleansing, and dressing that promotes a moist wound environment, antibiotics to control infection, and optimizing nutritional supplementation. Avoidance of weight-bearing is another important component of wound management.

### Electrostimulation

Since the 1950s, investigators have used electrostimulation to promote wound healing, based on the theory that electrostimulation may:

- Increase adenosine 5'-triphosphate concentration in the skin
- Increase DNA synthesis
- Attract epithelial cells and fibroblasts to wound sites
- Accelerate the recovery of damaged neural tissue
- Reduce edema
- Increase blood flow
- Inhibit pathogenesis.

Electrostimulation refers to the application of electrical current through electrodes placed directly on the skin near the wound. The types of electrostimulation and devices can be categorized into groups based on the type of current. This includes low-intensity direct current, high-voltage pulsed current, alternating current, and transcutaneous electrical nerve stimulation.

## Electromagnetic Therapy

Electromagnetic therapy is a related but distinct form of treatment that involves the application of electromagnetic fields, rather than direct electrical current.

### Summary

#### Description

Electrostimulation (electrical stimulation) refers to the application of electrical current through electrodes placed directly on the skin. Electromagnetic therapy involves the application of electromagnetic fields, rather than direct electrical current. Both are proposed as treatments for wounds, generally chronic wounds.

#### Summary of Evidence

For individuals who have any wound type (acute or nonhealing) who receive electrostimulation, the evidence includes systematic reviews and randomized controlled trials (RCTs). Relevant outcomes are symptoms, change in health status, morbid events, quality of life, and treatment-related morbidity. Systematic reviews of RCTs on electrical stimulation have reported improvements in some outcomes, mainly intermediate outcomes such as a decrease in wound size and/or the speed of wound healing. There are few analyses of the more important clinical outcomes of complete healing and the time to complete healing, and many of the trials are relatively low quality. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

For individuals who have any wound type (acute or nonhealing) who receive electromagnetic therapy, the evidence includes 2 systematic reviews of RCTs (1 on pressure ulcers and the other on leg ulcers) and an RCT of electromagnetic treatment following Cesarean section. Relevant outcomes are symptoms, change in health status, morbid events, quality of life, and treatment-related morbidity. The systematic reviews identified a few RCTs with small sample sizes that do not permit drawing definitive conclusions. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

### Policy History

Date	Action
3/2024	Annual policy review. References updated. Policy statements unchanged.
3/2023	Annual policy review. Minor editorial refinements to policy statements; intent unchanged.
4/2022	Clarified coding language.
2/2022	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
3/2021	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
1/2021	Medicare information removed. See MP #132 Medicare Advantage Management for local coverage determination and national coverage determination reference.
3/2020	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
3/2019	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
2/2018	Annual policy review. New references added.
10/2017	Annual policy review. New references added.
7/2017	Clarified coding information.
11/2015	Annual policy review. New references added.
7/2014	Updated Coding section with ICD10 procedure and diagnosis codes, effective 10/2015.
3/2014	Annual policy review. New investigational indications described. Effective 3/1/2014. Coding information clarified.
11/2011-4/2012	Medical policy ICD 10 remediation: Formatting, editing and coding updates. No changes to policy statements.

11/2011	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology. No changes to policy statements.
12/2010	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology. No changes to policy statements.
12/2009	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology. No changes to policy statements.
9/2009	Annual policy review. No changes to policy statements.
6/2009	Annual policy review. No changes to policy statements.
12/2008	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology. No changes to policy statements.
7/2008	Annual policy review. Changes to policy statements.
3/2008	Reviewed - Medical Policy Group - Allergy and ENT/Otolaryngology. No changes to policy statements.
3/2007	Annual policy review. No changes to policy statements.
3/2007	Reviewed - Medical Policy Group - Allergy and ENT/Otolaryngology. No changes to policy statements.

## Information Pertaining to All Blue Cross Blue Shield Medical Policies

Click on any of the following terms to access the relevant information:

[Medical Policy Terms of Use](#)

[Managed Care Guidelines](#)

[Indemnity/PPO Guidelines](#)

[Clinical Exception Process](#)

[Medical Technology Assessment Guidelines](#)

## References

1. Barnes R, Shahin Y, Gohil R, et al. Electrical stimulation vs. standard care for chronic ulcer healing: a systematic review and meta-analysis of randomised controlled trials. *Eur J Clin Invest.* Apr 2014; 44(4): 429-40. PMID 24456185
2. Franek A, Kostur R, Polak A, et al. Using high-voltage electrical stimulation in the treatment of recalcitrant pressure ulcers: results of a randomized, controlled clinical study. *Ostomy Wound Manage.* Mar 2012; 58(3): 30-44. PMID 22391955
3. Houghton PE, Campbell KE, Fraser CH, et al. Electrical stimulation therapy increases rate of healing of pressure ulcers in community-dwelling people with spinal cord injury. *Arch Phys Med Rehabil.* May 2010; 91(5): 669-78. PMID 20434602
4. Kawasaki L, Mushahwar VK, Ho C, et al. The mechanisms and evidence of efficacy of electrical stimulation for healing of pressure ulcer: a systematic review. *Wound Repair Regen.* 2014; 22(2): 161-73. PMID 24372691
5. Lala D, Spaulding SJ, Burke SM, et al. Electrical stimulation therapy for the treatment of pressure ulcers in individuals with spinal cord injury: a systematic review and meta-analysis. *Int Wound J.* Dec 2016; 13(6): 1214-1226. PMID 25869151
6. Liu LQ, Moody J, Traynor M, et al. A systematic review of electrical stimulation for pressure ulcer prevention and treatment in people with spinal cord injuries. *J Spinal Cord Med.* Nov 2014; 37(6): 703-18. PMID 24969965
7. Thakral G, La Fontaine J, Kim P, et al. Treatment options for venous leg ulcers: effectiveness of vascular surgery, bioengineered tissue, and electrical stimulation. *Adv Skin Wound Care.* Apr 2015; 28(4): 164-72. PMID 25775200
8. Zheng Y, Du X, Yin L, et al. Effect of electrical stimulation on patients with diabetes-related ulcers: a systematic review and meta-analysis. *BMC Endocr Disord.* Apr 27 2022; 22(1): 112. PMID 35477391
9. Arora M, Harvey LA, Glinsky JV, et al. Electrical stimulation for treating pressure ulcers. *Cochrane Database Syst Rev.* Jan 22 2020; 1(1): CD012196. PMID 31962369
10. Girgis B, Duarte JA. High Voltage Monophasic Pulsed Current (HVMP) for stage II-IV pressure ulcer healing. A systematic review and meta-analysis. *J Tissue Viability.* Nov 2018; 27(4): 274-284. PMID 30177421

11. Khouri C, Kotzki S, Roustit M, et al. Hierarchical evaluation of electrical stimulation protocols for chronic wound healing: An effect size meta-analysis. *Wound Repair Regen.* Sep 2017; 25(5): 883-891. PMID 29052946
12. Aziz Z, Bell-Syer SE. Electromagnetic therapy for treating pressure ulcers. *Cochrane Database Syst Rev.* Sep 03 2015; 2015(9): CD002930. PMID 26334539
13. Aziz Z, Cullum N. Electromagnetic therapy for treating venous leg ulcers. *Cochrane Database Syst Rev.* Jul 02 2015; 2015(7): CD002933. PMID 26134172
14. Khooshideh M, Latifi Rostami SS, Sheikh M, et al. Pulsed Electromagnetic Fields for Postsurgical Pain Management in Women Undergoing Cesarean Section: A Randomized, Double-Blind, Placebo-controlled Trial. *Clin J Pain.* Feb 2017; 33(2): 142-147. PMID 28060214
15. Qaseem A, Humphrey LL, Forciea MA, et al. Treatment of pressure ulcers: a clinical practice guideline from the American College of Physicians. *Ann Intern Med.* Mar 03 2015; 162(5): 370-9. PMID 25732279
16. American College of Physicians (ACP). Inactive ACP guidelines. <https://www.acponline.org/clinical-information/guidelines/inactive-acp-guidelines>. Accessed November 22, 2023.
17. Bolton LL, Girolami S, Corbett L, et al. The Association for the Advancement of Wound Care (AAWC) venous and pressure ulcer guidelines. *Ostomy Wound Manage.* Nov 2014; 60(11): 24-66. PMID 25380098
18. Association for the Advancement of Wound Care (AAWC). Association for the Advancement of Wound Care guideline of pressure ulcer guidelines. Malvern, PA: AAWC; 2010.
19. Wound, Ostomy and Continence Nurses Society-Wound Guidelines Task Force. WOCN 2016 Guideline for Prevention and Management of Pressure Injuries (Ulcers): An Executive Summary. *J Wound Ostomy Continence Nurs.* 2017; 44(3): 241-246. PMID 28472816
20. Centers for Medicare & Medicaid Services (CMS). National Coverage Determination (NCD) for Electrical Stimulation (ES) and Electromagnetic Therapy for the Treatment of Wounds (270.1). 2004; <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?ncdid=131&ver=3>. Accessed November 29, 2022.